SUBJECT INDEX

Abies, role in interglacials 589–90
Achenheim 103–7
Adriatic Basin pollen record
  methods of analysis 415
  results 415–17
  results discussed 417–21
Aeolian sand dating 25–31, 40–2, 75–8, 80–3, 85–91
Alaska, IRSL site 133
Albaida, Puerto de 55–6
Albedo and GCM 292
Alberta *see* Dinosaur Park
Alces alces 331
Aluminium centres in quartz 257–63
Amazon Basin, sediment dating 71
Ambystoma spp. 347
Amersfoort Interstadial 589
Amino acids
  in dating
    Clava Shelly Formation 769
    land snails 666, 677–8
  in stratigraphy
    Maryland Shelf 309–14
    Svalbard 636–7
Amphibian fossils 345, 346–9, 349
Anden Formation 121, 123
Anna 58–60
Antarctic marine ^{14}C levels 697
  factors affecting 697–8
  fish 705
  krill 705
  penguins 704
  seals 703
  seaweed 701–3
  shells 701–3
  whales 703–4
Apalone spp. 347
Aragonite dating and ESR
  corals (fossil) 197–202, 203–6
  corals (modern) 192–5
Archaeological dating
  methods 148–8
  results 149–51
Archidiskodon 338
Arid period dating 25
Ariendorf 94–5
Arthropods 778
Arvicola spp. 338, 340
Ash dating 15
Assemblage zone 329
Atlantic Coast (USA) stratigraphy 303–14
Atlantic Ocean (North)
  ^{14}C correction factors 698
  circulation indicators
    ^{18}O 401–2
    salinity/density 403–6
  Last Glacial reconstruction 407–10
  Younger Dryas reconstruction 410–11
Atmospheric circulation modelling 285, 497
Autecology, role of 593
Aven d'Orgnac Cave studies 619

Bahama Islands 226
  speleothem studies 617
Baoji loess
  climatic interpretation 279–80
  particle size analysis 278–9
  stratigraphy 276–8
Barbados, marine terraces 692, 693
Barton 8, 11
Bavelian pollen spectrum 587
Bearbrook 507, 529
Bedrock tectonization 546
Belcroute 45, 49
Belgium, IRSL sites 133
Bembridge 8, 11
Bergmann's rule 334
Bermuda, speleothem studies 617
Biogeography
  case study
    malacology 597–8
    results interpreted 598–600
    sites 596–7
  causal 594–6
  descriptive 593–4
Biome defined 595
Biota defined 595
Bobbing 8
Body size, factors affecting 334–5
Boissejour 15, 17
Bolbaite 58–60
Bone dating and ESR
  methods 251–4
  results 254–5
Boso Peninsula 219, 220
Bovetto 45, 48
Boxgrove 7, 10, 11
Brazeau 521–2
Brean Down 150
Breidavík Group
  facies analysis 739–41
  foraminiferal stratigraphy 741–4
  lithostratigraphy 734–9
  molluscan stratigraphy 744–51
  palaeoenvironment analysis 751–4
  setting 733
Brickearth dating 7–12
British Columbia seismic studies 563–7
Brírup Interstadial 589
Bruckenthalia 438
Bufo spp. 348
Bugarra 58–60

^{13}C
  core measurements in Pacific Ocean
    methods 388
    results 388–95
    results discussed 397–9
    setting 387–8
    statistical analyses 395–7
  land snails 674–6
  speleothems 612
^{14}C
  Antarctic marine water 697
    factors affecting 697–8
    fish 705
    krill 705
    penguins 704
    seals 703
    seaweed 701–3
    shells 701–3
    whales 703–4
  Atlantic Ocean (North) 698
  Champlain Sea study 518–20
  Clava Shelly Formation 769
  Dinosaur Park study 551
  land snails 665–6
  Pyrénées study 450–1, 452
  speleothems 610
  Svalbard 634–5
Calcite dating 121–5, 128
Canada
  seismic studies 560–7
  speleothem studies 614, 620
  see also Dinosaur Park

Canis lupus 331
Cape May Formation 319, 323
Capreolus capreolus 334
Carbon dioxide
  in ice cores 381–2, 383–4
  levels and GCM 292
  Pacific Ocean cores
    methods 388
    results 388–95
    results discussed 397–9
    setting 387–8
    statistical analyses 395–7
Carbon isotopes *see* ^{13}C; ^{14}C
Carbonate dating and ESR
  calcite 177–8
  corals (fossil) 197–202, 203–6
  corals (modern) 192–5
  environment effects 169
  foraminifera 177–8
  Mg level effects 170
Cascade Cave speleothem studies 614
Casselman 508, 530
Castiglione Crater Lakes 353–4
  sediment studies
    methods 354–5
    results 355–9
    results discussed 359–61
Castle Bromwich 150
Castleguard Cave studies 614
Cave calcites *see* Speleothems
Cervus elaphus 330, 333, 334
Chaîne-des-Puys 13
Champlain Sea 503, 518–20, 560–3
Channel Islands, TL sites 45, 49
Chelford Sands Formation 79–80
Chelydra spp. 347, 348
Chiling Copse 8, 11
China
  Baoji section 276
    climatic interpretation 279–80
    particle size analysis 278–9
    stratigraphic correlations 276–8
  IRSL sites 133
  loess plateau 275
Chowan River Formation 319, 323
Chrysemys spp. 347, 348
Clava Shelly Formation
  biostratigraphy 768–9, 776–8
  dating 769
  glacitectonics 767–8
  history of research 759
  lithostratigraphy 762–7
  origins 769–71
  rafting model 771–3
  setting 759–62
Clay index (CI) 429
Clay mineralogy, Grande Pile 426, 429
Climate change
  atmospheric composition 384–5
  modelling
    2-D coupled 483–7
    3-D
      components 497–8
      experiment 498–500
      strategy 496–7
    equilibrium GCM 481–2
    model modifications 487–8
    transient response 482–3
  orbital forcing 179–80
  reconstruction 428–9
Coelodonta antiquitatis 333
Coir' a' Ghrunda 787–9
Coire na Creiche 789–92
Colchester Formation 366, 368, 369, 371
Coluber spp. 348
Coral dating by U series
  data collection 687–90
  distributed error frequency curve 690–3
Core dating 115–19
Cova Negra 54–5
Cover sand dating 85–91
Crocuta crocuta 331
Cromerian 585–6
  pollen spectrum 587
Crotalus spp. 348
Crystal Cave speleothem studies 617

D/H isotopes, land snails 678–9
Dama dama 331, 332
Deep sea core analysis
  AD measurement 183–6
  methods and dose rate 182–3
  results 186–7
Deglaciation modelling 503–4
  methods 504
  results
    ^{14}C data 518–20
    environmental succession 510–11
    glacio-lacustrine environment 508
    glacio-marine environment 508–10
    microfaunal significance 504–7, 511–14
    outwash fans 520–2
    sequence of events 514–17
Delaware Shelf stratigraphy 303–4
Density and Atlantic Ocean circulation 403–6
Depositional environment analysis 153, 156–8
Deschênes, Lac 512, 533
Desert sand *see* Dune sand
Devès Plateau
  climatic reconstruction 444–5
  pollen record 442
  setting 439
  statistical data analysis 442–3
Devils Hole speleothem studies 621–4
Dicerorhinus sp. 332, 329, 331
Dinoflagellates 776
Dinosaur Park
  bedrock tectonization 546
  chronology 550–3
  lithofacies associations 540–6
    interpretation 546–50
  setting 535–7
  stratigraphy 537–40
Distributed error frequency curve 690–3
Drayton 150
Drumlins 729–30, 797–8
Dune sand dating 25–31, 40–2, 75–8, 80–3, 85–91

Ease Gill Cavern speleothem studies 624, 631
Eccentricity, orbital 571
Eemian 45, 332
  pollen spectrum 588
  Svalbard
    age interpretations 657–9
    dating methods 634–7
    depositional environment 655–7
    facies descriptions 637–41
    stratigraphy 641–55
    summary 659–61
Elaphe spp. 348
Electron spin resonance *see* ESR
Ellesmere Island 698
Emydoidea spp. 347, 348
Equus caballus 332, 334
ESR
  bone dating
    methods 251–4
    results 254–5
  carbonate dating
    accumulated dose determination 175–6
    dose response curve 173–5
    environment effects 169–70, 177–8
    fading 176–7
    paramagnetic centre effects 165–9
  coral analysis (fossil)
    methods 197–9, 204
    results 199–200, 204–5
    results discussed 200–2, 205–6

coral analysis (modern)
methods 192
results 192–5
deep sea cores
AD measurement 183–6
methods and dose rate 182–3
results 186–7
mollusca studies 666
methods 219–20, 225–8
results 220–3, 228–9
phosphorite study
methods 209–11
results 212–16
quartz dating
methods 257, 267–70
results 257–63, 270–1
tooth enamel studies
methods
field 233, 246
lab 234–5, 246–7
results 235–6, 247–50
U/Th data compared 236–43
theory 232–3, 245–6
Estarrès
pollen study 465
setting 460–2
stratigraphy 462
vegetation dynamics 465–7
Europe
GCM for
full glacial simulation 289–92
Holocene simulation 292–3
Late Glacial simulation 293–4
present climate 287–9
Extinctions 330–1

Falkland Islands 699
Fan deposits 520–2
Faversham 8, 11
Feldspar
IRSL dating 136
composition effects 140–2
fading measurement 142–4
fading problems 139–40
OSL dating 128
TL dating 71–3, 81–3
bleaching 33–7
blue TL 45–50
Felis concolor 334
Ferring 8, 11
Finglack Till Formation 763, 767
Fish and ^{14}C levels 705
Flint dating 1–4
Flowstone *see* Speleothems
Fluid inclusion analysis, speleothems 613
Fluted moraine 797–8
Flutes, glacial
field study 710–13
fabric 718–23
forms 715–16
marginal character 713
structure 716–17
thermal regime 723–4
mode of formation
drumlin association 729–30
history of research 709–10
Lyngsdalen results 727–8
modelling 724–7
Fluvial sediments, TL dating 71–3
Fluvioglacial sands, TL dating 80–3
Foraminifera
atmospheric record
methods 388
results 388–95
results discussed 397–9
setting 387–8
statistical analyses 395–7
Breidavík Group 741–4
Clava Shelly Formation 776–7
Late Glacial record 504–7, 511–14
palaeotemperature analysis 801–2
quantitative methods 802–3
sensitivity of methods 803–17
France
cave studies 619
ESR site 231
TL sites 45, 49, 103–7
see also Grande Pile; French Pyrénées
Franklin Island 700
Fraser River Delta seismic reflection study 564–7
French Pyrénées
pollen study
^{14}C data 450–1
sampling techniques 450
sites 449–50
Estarrès 460–7
La Borde 451–8
Ruisseau de Laurenti 458–60
setting 449
vegetation evolution 473–8
Freshwater Bay 8, 11
Furuvik Formation 736

Gazella gazella 331
GCM 283, 285–6
atmospheric circulation parameters 285
boundary conditions 284–5
climate simulations 286–7
full glacial 289–92
Holocene 292–3
Late Glacial 293–4
present day 287–9
Geochelone crassiscutata 345
Geochemistry 358–9
Germany
IRSL sites 133
TL sites 93–100, 109–12
TL studies 19, 22, 23
Gestalgar 58–60
Giant land tortoise 345
Glacial/interglacial cycles 751, 754
Glaciation and GCM 289–92
Glaciofluvial environment
sediments and IRSL dating 161–3
transport and TL 33–7
Glaciolacustrine sediment dating 117–19
Glaciomarine sediments, TL dating 61–9
Gleann Torra-mhichaig 789, 792–4
Goring 8
Grande Pile
climatic reconstruction 428–9, 444–5
loess layers 426
organic carbon 428
pollen record 426, 441–2, 446, 447
climatic implications 433–5
results discussed 437–8
stratigraphy 431–3
sedimentology 425–6
setting 425, 439
significance discussed 429–30
statistical data analysis 442–3
Graptemys spp. 347
Grasafjöll Formation 736
Gräselberg 19, 22
Great Lakes herpetological records 345–9
Great Wakering 8
Greenland coastal waters 698

Haizume Formation 121, 123
Hard water effect 450–1
Herpetological records 345, 346–9, 349
Herzeele 45, 49
Highcliffe 8, 11
Hippopotamus amphibius 332
Holbury 7, 10, 11

Holocene simulation and GCM 292–3
Holsteinian 45
  biogeography
    malacology 597–8
    results interpreted 598–600
    sites 594–6
  pollen spectrum 588
Hoogeveen Interstadial 589, 590
Hope Gap 7, 10, 11
Hörgi Formation 736
Howgate 8, 11
Hummocky moraine
  classification 796–8
  debris transport 783–4
  history of research 781
  Skye case studies
    chaotic 792–4
    longitudinal 794–6
    transverse 784–92
Hungary, IRSL sites 133
Huon Peninsula coral study 197–202
Hurdle Cliff 8, 11
Hydrogen isotopes, land snails 678–9

Ice sheets
  modelling 498
  size and GCM 292, 295
Iceland
  Breidavík Group 733
    facies analysis 739–41
    foraminiferal stratigraphy 741–4
    lithostratigraphy 734–9
    molluscan stratigraphy 744–51
    palaeoenvironment analysis 751–4
  coastal waters 698
Ichijuku Formation 121, 123
Ilford 332
Indian Ocean 698
Inexpressible Island 700
Infrared stimulated luminescence *see* IRSL
Ingelborough Cave speleothem studies 624, 631
Insolation 571
  GCM 292–3, 296
  monthly 572–3
  seasonal 576–8
Interglacial characteristics 586–90
Ipswichian Interglacial 332
Irish Sea Basin, glaciation 377–9
Ironshire Formation 319, 321
IRSL
  composition effects 140–2
  core dating 115–19
  fading measurements 142–4
  fading problems 139–40
  glaciofluvial environment analysis 161–3
  method 133
  relation with TL 39–42
  signal stability 134–6
Isernia la Pineta 245
Italy
  ESR site 245
  TL sites 45, 48, 53–4

James Ross Island 699
Japan 257
Jersey, TL sites 45, 49
Jizodo Formation 121, 123

K feldspar
  blue TL 45–50
  TL bleaching 33–7
  TL dating 71–3, 81–3
Kame sediments, IRSL dating 161–3
Kapp Ekholm
  Eem/Weichsel cycle
    age interpretations 657–9
    dating methods 634–7
    depositional environment 655–7
    facies descriptions 637–41
    orbital effects 661–2
    stratigraphy 641–55
    summary 659–61
  setting 633–4
Karlich, IRSL site 133
Kedichem Formation 372
Kent Island Formation 319, 320, 323
Kesgrave Formation 363
Kesgrave Group 367, 369
Kootwijk Formation 86
Kyleakin Hills 784–7

La Borde
  pollen study 453–7
  setting 451
  stratigraphy 451–3
  vegetation dynamics 458
La Chaise-de-Vouthon 231
La Paul de Bubal
  pollen study 468–71
  setting 467
  stratigraphy 468
  vegetation dynamics 471
Labrador Ice Sheet and GCM 293
Lacustrine sediment analysis
  methods 354–5
  results 355–9
  results discussed 359–61
Lampropeltis spp. 348
Land snails
  biogeography
    case study 596–8
    causal 594–6
    descriptive 593–4
  palaeoenvironment analysis
    amino acid racemization 677–8
    ^{13}C studies 674–6
    dating methods 665–6
    fossil species distribution 669–72
    future research 678–80
    modern species distribution 666–9
    morphological significance 672–4
    ^{18}O studies 676–7
    sampling methods 665
Lanterne I zone 433
Lanzhou, IRSL site 133
Larix, significance of 437–8
Late Glacial simulation and GCM 293–4
Laurentide ice sheet 346
  deglaciation model 503–4
    ^{14}C data 518–20
    environmental succession 510–11
    glacio-lacustrine environment 508
    glacio-marine environment 508–10
    microfaunal significance 504–7, 511–14
    outwash fans 520–2
    seismic data 560–3
    sequence of events 514–17
Lava dating 13–17
Lepe Point 7, 8, 10, 11
Les Echets
  climatic reconstruction 444–5
  pollen spectrum 442
  setting 439
  statistical data analysis 442–3
Lineage zone 333
Linexert glaciation 425
Lishi loess 275
Lithostratigraphy
  Breidavík Group 734–9
  Maryland Shelf 309–14
Little Oakley 334
Loess
  Baoji section 275
    climatic interpretation 289–80

particle size analysis 278–9
stratigraphic correlations 276–8
dating
IRSL dating 134–6
TL dating 19–23, 93–100, 103–7, 109–12
Grande Pile 425–6
see also Brickearth
Lost John's Pothole speleothem studies 625, 631–2
Lutra canadensis 334
Lyngsdalen flute study
field relations
fabric 718–23
forms 715–16
marginal character 713
structure 716–17
thermal regime 723–4
setting 710–13
mode of formation
drumlin association 729–30
field evidence 727–8
history of research 709–10
modelling 724–7

Maar dating 15
Magnesium in speleothems 618–19
Magnetic susceptibility, loess 277–8
Maidenhead Formation 363, 366, 368
Maidstone 9
Malacology
case study 597–8
causal 594–6
descriptive 593–4
see also Molluscs; Snails
Malan loess 275
Mammalian fossil evidence
distribution factors 329–33
evolution 333–7
geographical distribution 338–41
taxonomy 337–8
Mammuthus spp. 330–1, 332, 333, 335, 338
Máná Formation 736
Marine terraces and sea level evidence 692, 693
Maryland Shelf stratigraphy 303
amino acid 309–14
correlations 317–22
palaeoclimate analysis 314–17
sea level interpretations 322–5
seismic 305–9
Mathematical modelling *see* Modelling
Maxwell Quarry 511, 532
Megaloceras giganteus 330
Melisey I Stadial 432, 433
Mendip Hills speleothem studies 616–17
Methane in ice cores 382, 384
Microtus oeconomus 334
Middle Thames Gravel Formation 363
Milankovitch theory 571–2
ice sheet modelling 575–6
transient responses 576–8
prediction of cycles 574
pre-Quaternary signals 574–5
supporting observations
balancing signals 573
insolation 572–3
phase coherence 573–4
precession 572
Mimomys spp. 338, 340
Mineralogy 356–8
Miyazaki Plain 219, 220
Modelling
climate
2-D coupled model 483–7
3-D model
components 497–8
experiment 498–500
strategy 496–7
equilibrium GCM 481–2
model modifications 487–8
transient response model 482–3
deglaciation 503–4
methods 504
results
^{14}C data 518–20
environmental succession 510–11
glacio-lacustrine environment 508
glacio-marine environment 508–10
microfaunal significance 504–7, 511–14
outwash fans 520–2
sequence of events 514–17
Moraines *see* Hummocky moraine
Mollusca studies
Breidavík Group 744–51
Clava Shelly Formation 778–9
ESR
methods 219–20, 225–8
results 220–3, 228–9
stratigraphic records 355, 356
Monticello 53–4
Mus spp. 330

^{15}N isotope levels, land snails 679
Naganuma Formation 121, 123
Nannofossils 776
Nassawadox Formation 319, 320, 321, 323
Naura Island phosphorite study 209, 213–16
Nerodia spp. 347, 348
Neschers 14, 17
Netherlands, TL sites 85–6
Nettlebed Formation 363, 366, 368, 369, 370
Nevada, speleothem studies 621–4
New Guinea coral study 197–202
New Jersey Shelf stratigraphy 303–4
New Zealand
bone dating 251
marine terrace dates 40–2
pyroclastics dating 267
speleothem studies 619
Nitrogen isotopes, land snails 679
Nitrous oxide in ice cores 383
North Atlantic Current 755
North Carolina Shelf stratigraphy 305
Northern Drift Formation 363, 364
Northfleet 7, 10, 11
Norway *see* Lyngsdalen
Norwegian Sea circulation
Last Glacial 407–9
modern 406–7

^{18}O
Atlantic circulation indicators 401–2
land snails 676–7
palaeoclimate analysis
China 276–7
England 624–8
Nevada 621–4
Vancouver Island 620
palaeotemperature indicators 612–14
stage correlations 590
Oakwood Till 79–80
Obliquity, orbital 571
Ocean modelling 498
Ognon zones 433
Okanagan Valley seismic reflection study 563–4
Okataina Volcanic Centre 267
Olduvai event 738
Omar Formation 319, 321, 323
Onikoube caldera 257
Ontario Lake Basin 503
Optical dating *see* OSL
Orbital forcing 571
climatic impact 279–80
latitude effects 661–2
prediction of cycles 574
supporting observations
balancing signals 573
insolation 572–3

phase coherence 573–4
precession 572
Organic carbon
Grande Pile 425, 426
in speleothems 619
Origination 330
OSL
applications
sediment dating
methods 153–6
results 157–8
Svalbard case study 635–6
use in archaeology
methods 148–9
results 149–51
eviction 128, 129, 130
method 127
problems 127
recuperation 130, 131
thermal stability 128
Ostracoda
Clava Shelly Formation 777–8
Late Glacial 504–7, 511–14
Oxygen isotope analysis *see* ^{18}O

Pacific Ocean core analyses
methods 388
results 388–95
results discussed 397–9
setting 387–8
statistical analyses 395–7
Palaeo-Bio-Sedimentoclimatic Component (PBSC) 428
Palaeo-Bioclimatic Component (PBC) 426
Palaeo-Bioclimatic operator (PBO) 426
Palaeoclimate analysis 359–61
glacial cycles 614–17
Maryland Shelf 314–17
Mg in calcite 618–19
^{18}O analysis 619–28
palaeotemperatures 612–14
sea level effects 617–18
speleothem development 609–10
Palaeoloxodon antiquus 332
Palaeosols
aeolian sand 85–91
lacustrine deposits 356
river terraces 53–60
Palaeotemperature analysis
Maryland Shelf case study 314–17
Mg in calcite 618–19
stable isotopes 612–14
see also Sea surface temperature
Panthera leo 331, 333
Paramagnetic centres in ESR
characteristics 165–6
identification 166–9
physical nature 169
Pegwell Bay 7, 8, 11
Penguins and ^{14}C levels 704
Pensauken Formation 319, 323
Peru, sediment dating 71
Phantomodden Interstadial 639, 646, 647–51
Phosphorite and ESR
methods 209–11
results 212–16
Photoluminescence (PL) 33, 36
Phototransferred thermoluminescence (PTTL) 128
PL 33, 36
Po Plain 53–4
Pollen spectra
as climate proxy
local studies
Estarrès 460–7
Grande Pile 428–9
La Borde 451–8
La Paul de Bubal 467–71
Ruisseau de Laurenti 458–60
methods 415
results 415–17
results discussed 417–21
speleothem studies 619
Bavelian 587
Cromerian 587
Eemian 588
Holsteinian 588
Saalian 588
Waalian 586
Polynesian settlement dating 251
Portelet 45, 49
Praetiglian 584
Precession, orbital 571, 572
Precipitation reconstruction 428–9
Pseudemys spp. 347
PTTL 128
Puy de Dôme 13
Pyrénées
pollen study
^{14}C data 450–1
sampling techniques 450
sites 449–50
Estarrès 460–7
La Borde 451–8
La Paul de Bubal 467–71
Ruisseau de Laurenti 458–60
setting 449
vegetation evolution 473–8
Pyroclastic dating 15

Quartz
ESR dating
methods 257, 267–70
results 257–63, 270–1
OSL dating 128
TL dating
sediments 71–3, 75–8, 81–3
volcanic events 13–17
Quaternary
defining the base 583–4
status of 583
subdivisions of 584–6
terrestrial stratigraphy
history of studies 603–5
potential of 606
problems of 605–6
Québec seismic studies 560–3
Quyon seismic reflection study 560–3

Radiocarbon *see* ^{14}C
Rainfall reconstruction 428–9
Raised beaches 45, 50
Rajasthan desert 25
Rana spp. 347
Range zone 329
Rangifer tarandus 331, 333
Ravagnese 45, 48
Recessional moraines 797
Reculver 7, 8, 11
Red thermoluminescence (RTL) 13–14
Reptile fossils 345, 346–9, 349
Reuverian 584
Rheindahlen 109–12
Riba Roja 55–6
River sediments, TL dating 71–3
River terrace dating 53–60
Rivière Landry 510, 532
Rocourt, IRSL site 133
Ross Sea 698, 700
Rotoiti Breccia 267
RTL 13–14
Ruisseau de Laurenti
pollen study 458–60
setting 458
stratigraphy 458
vegetation dynamics 460
Runnymead 150

Saalian pollen spectrum 588
Saiga tatarica 331
Saint Jacques 15, 17
Salinity
  Atlantic Ocean circulation 403–6
  role in environment reconstruction 515
San Salvador 226
Sangamonian 345
Sangatte 49
Sea ice and GCM 292
Sea level records
  marine terraces 687–90, 692, 693
  shelf sediments 322–5
  speleothem data 617–18
Sea surface temperature estimation 801–2
  quantitative methods 802–3
  sensitivity of methods 803–4
    Imbrie and Kipp method 804–15
    modern analogue technique 815–17
    weighted averaging method 817
Seals and ^{14}C levels 703
Seaweed and ^{14}C levels 701–3
Seismic reflection 557–8
  case studies 560–7
  equipment 558
  optimum offset method 558–9
  site characteristics 559
  theory 559–60
Seismic stratigraphy, Maryland Shelf 305–9
Selsey 8, 11
Shawville seismic reflection study 563
Shell dating 121–5, 701–3
Shibikawa Formation 121, 123
Shine-down curve 127
Shirley Formation 319, 323
Sibling species 330
Sinepuxent Formation 319, 321, 323
Skye, Isle of
  hummocky moraine studies
    chaotic 792–4
    longitudinal 794–6
    transverse 784–92
Sligachan 794–6
Smectite, climatic significance 426, 429
Snails
  biogeography
    case study 596–8
    causal 594–6
    descriptive 593–4
  palaeoenvironment analysis
    amino acid racemization 677–8
    ^{13}C studies 674–6
    dating methods 665–6
    fossil species distribution 669–72
    future research 678–80
    modern species distribution 666–9
    morphological significance 672–4
    ^{18}O studies 676–7
    sampling methods 665
Snow-line modelling 497–8
South Georgia 699
South Shetland Islands 699
Southend 8, 11
Spain, TL sites 54–60
Spanish Pyrénées
  pollen study
    ^{14}C data 450–1
    sampling techniques 450
    sites 449–50
      La Paul de Bubal 467–71
  setting 449
  vegetation evolution 473–8
Sparrowhawk Point 510, 532
Speciation, mammalian 340–1
Speleothems
  dating 236–43
  glacial cycles links 614–17
  history of research 610–11
  introduction 609–10
  Mg content 618–19
  ^{18}O measures 619–28
  organic carbon content 619
  palaeotemperature measures 612–14
  pollen content 619
  sea level indicators 617–18
  U series dating 611–12
Spitsbergen 61–2, 698
St Césaire 509, 531
St-Germain 432, 433
St-Lambert 514, 534
St Lawrence Lowland deglaciation model 503–4
  ^{14}C data 518–20
  environmental succession 510–11
  glacio-lacustrine environment 508
  glacio-marine environment 508–10
  microfaunal significance 504–7, 511–14
  outwash fans 520–2
  seismic data 560–3
St-Lazare 521
Stable isotopes *see* ^{13}C; ^{18}O
Stalactites *see* Speleothems
Stalagmites *see* Speleothems
Ste-Monique-de-Nicolet 513, 534
Sterksel Formation 372
Sternotherus spp. 347, 348
Stockport Formation 79–80
Stratigraphy, modern approaches to 569
Sturt Pond 9, 11
Sudbury Formation 366, 369, 370–1
Svalbard
  Eem/Weichsel cycle
    age interpretations 657–9
    dating methods 634–7
    depositional environment 655–7
    facies descriptions 637–41
    orbital effects 661–2
    stratigraphy 641–55
    summary 659–61
  setting 633–4
Synecology, role of 593

Tabb Formation 319, 323
Tapiosuly, IRSL site 133
Taxonomy and mammal classification 337–8
Tegelen Formation 372
Telscombe 8, 11
Temperature
  Atlantic Ocean circulation 403–6
  profile reconstruction 428–9
Tephra dating 15
  methods 257, 267–70
  results 257–63, 270–1
Terrace dating 40–2
Terrapene spp. 348
Tet glacier 451
Thames River sediment studies
  correlations 371–3
  history of work 363–6
  lithology 370–1
  stratigraphy 366–70
Thamnophis spp. 348
Thar desert 25
Thermoluminescence dating *see* TL
Threngingar Formation 736, 738
Tiglian 585
Titanium centres in quartz 257–63
Tjörnes Peninsula *see* Breidavík Group
TL dating
  aeolian sediments 25–31, 39–42, 75–8, 85–91
  bleaching experiments 33–7
  brickearth 7–12
  flint 1–4
  fluvial sediments 71–3
  glacial environment sediments 61–9, 635–6
  interstadial sediments 79–83
  loess 19–23, 93–100, 103–6, 109, 12
  marine sands 45–50
  river terraces 53–60

shells 121–5
volcanics 13–17
Toenchesberg 95–7
Tooth enamel studies and ESR
methods
field 233, 246
lab 234–5, 246–7
results 235–6, 247–50
U/Th data compared 236–43
theory 232–3, 245–6
Trafalgar Square 332
Traietta 45, 48
Transport and TL bleaching 33–7
Travertine *see* Speleothems
Trombaca 45, 48
Tuff dating
methods 257, 267–70
results 257–63, 270–1
Turbid water settling and TL 33–7
Twente Formation 85–6
Twin Elms 506, 528
Tyrrhenian 45, 50

U series dating
data collection 687–90
distributed error frequency curve 690–3
land snails 666
speleothems 236–43, 610, 611–12
Uffington 150
Umegase Formation 121, 123
Upwich 150
Urk Formation 372
Ursus spp. 334, 336
USA
Atlantic Coast stratigraphy 303–14
loess dating 133
speleothem studies 621–4

Vancouver Island speleothem studies 614, 620
Vegetation dynamics
methods of analysis 415
Pyrénées
evolution 473–8
sampling techniques 450
sites 449–50
Estarrès 460–7
La Borde 451–8
La Paul de Bubal 467–71
Ruisseau de Laurenti 458–60
results 415–17
results discussed 417–21
Victoria Cave speleothem studies 625–8, 632
Virginia Shelf stratigraphy 304–5
Volcanic event dating 13–17
methods 257, 267–70
results 257–63, 270–1
Vosges *see* Grande Pile

Waalian pollen spectrum 586
Wachapreague Formation 319, 320, 321, 322, 323
Wallertheim 19, 23
Waterlain sediment dating 33–7, 61–9
Weddell Sea 698, 700
Weichselian sediments
Svalbard
age interpretations 657–9
dating methods 634–7
depositional environment 655–7
facies descriptions 637–41
stratigraphy 641–55
summary 659–61
Wellington 150
West Cotton 150
West Overton 150
Whales and ^{14}C levels 703–4
Wiencke Island 699
Wind blown sand dating 25–31, 40–2, 75–8, 80–3, 85–91
Windermere Interstadial 617
Wisconsinan herpetological fossils 346–9
Wittering 8
Wucheng loess 275

Yorkshire Dales speleothem studies 614–16, 625–8, 631–2
Yorktown Formation 317, 319, 323
Younger Dryas Atlantic Ocean circulation 410–11

Zircon OSL dating 128